

Flora of the Pacific Northwest Checklist

A checklist of the Vascular Plants of the Pacific Northwest
Hosted by the University of Washington Herbarium

Family: Molluginaceae

1 terminal taxa (species, subspecies, and varieties).

The Flora of the Pacific Northwest Checklist aims to be a complete list of the native and naturalized vascular plants of the Pacific Northwest, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- Native taxa whether extant, extirpated, or extinct.
- Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- Interspecific hybrids that are frequent or self-maintaining.
- Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563-603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55-70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superseded by new information.

Accepted names are indicated with **blue type**, synonyms with **gray type**.

Native species and infraspecies are marked with **bold-face type**.

*Non-native and introduced taxa are preceded by an asterisk.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Flora of the PNW Checklist database on April 4th, 2026 at 1:15am PT.

Available online at <https://burkeherbarium.org/pnwflora/>

Comments and questions should be addressed to the checklist administrators:

David Giblin (dgiblin@uw.edu)

Peter Zika (zikap941@gmail.com)

Suggested citation:

LASTNAME, F., OTHER PEOPLE. 2023+. Checklist of the Vascular Plants of the Pacific Northwest. University of Washington Herbarium. <https://www.pnwherbaria.org/pnwflora/>. Accessed Apr 4, 2026.

Dicots:

Molluginaceae [FNA4, HC2] Carpetweed Family

Mollugo [FNA4, HC, HC2]

Sp. Pl. 1: 89. 1753; Gen. Pl. ed. 5, 39. 1754.
carpetweed

Mollugo verticillata L. [FNA4, HC, HC2]

Sp. Pl. 1: 89. 1753.
carpetweed, green carpetweed

FNA4: "Some authors consider *Mollugo verticillata* a native of the New World tropics that spread northward into subtropical and temperate regions (M. L. Fernald 1950; H. A. Gleason and A. Cronquist 1991). If so, the species apparently spread very rapidly, because herbarium specimens exist from Ohio in 1828, Michigan in 1837, and Maine in 1837. J. Chapman et al. (1974) presented archaeological evidence of pre-Columbian presence of *M. verticillata* at a site in Tennessee. Morphology and anatomy of the species are well studied. T. Holm (1911) investigated anisophyly in *Mollugo verticillata* and stated that the leaves are not "pseudo-verticillate," as described by some earlier authors, but are truly opposite. M. A. Payne (1933, 1935) conducted morphologic and anatomic analyses of the leaf, stem, root, flower, and seed of the species. Pollen morphology was examined by N. Mitroiu (1971). Several subspecific taxa have been described for *Mollugo verticillata*, but these are poorly understood; attempts to subdivide the species in North America for this treatment failed. The species is extremely morphologically variable, especially with regard to leaf shape, overall size, and habit. There seem to be no direct correlations between habitat type and morphology. *Mollugo verticillata* possesses intermediate C3-C4 photosynthetic pathway characteristics, such as well-defined bundle-sheaths with numerous C4-like chloroplasts, distinct palisade and spongy parenchyma as in C3 plants, and intermediate light to dark ratios of CO₂ evolution, which have made the species of particular interest in studies of the evolution and biochemistry of both photosynthetic pathways (R. A. Kennedy et al. 1980)."